

# Agency Information

The certificate is only used for browsing on the web and proves that SETsafe | SETfuse has been certified.

If you need a FULL-VERSION certificate, please contact us: [sales@SETfuse.com](mailto:sales@SETfuse.com)

该证书只用于在网页浏览，证明SETsafe | SETfuse已获得认证，如需要完整版本证书，请联系我们: [sales@SETfuse.com](mailto:sales@SETfuse.com)



# CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO.: CQC16001147880

Valid from: Nov.16,2022

Valid until: Nov.15,2027

**NAME AND REGISTERED ADDRESS OF THE APPLICANT** XIAMEN SET ELECTRONICS CO., LTD.  
NO. 8067 WEST XIANGAN ROAD, TORCH HIGH-TECH INDUSTRIAL DISTRICT, XIANGAN, XIAMEN, FUJIAN PROVINCE, P. R. CHINA

**NAME AND REGISTERED ADDRESS OF THE MANUFACTURER** XIAMEN SET ELECTRONICS CO., LTD.  
NO. 8067 WEST XIANGAN ROAD, TORCH HIGH-TECH INDUSTRIAL DISTRICT, XIANGAN, XIAMEN, FUJIAN PROVINCE, P. R. CHINA

**NAME AND LOCATION OF THE FACTORY** Xiamen Set Electronics Co., Ltd.  
No.8001 Xiangnan Xi Road,Xiamen Torch High-tech Industrial Development Zone,Xiangnan Industry District,Xiamen,China

**PRODUCT NAME, MODEL AND SPECIFICATION** Metal Oxide Varistor  
See Annex, not used for equipment with 600V AC power supply voltage or overvoltage category IV

**THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS** GB/T 10193-1997;GB/T 10194-1997;GB 4943.1-2022;IEC 61051-2:1991+Amd1:2009

**TYPE OF CERTIFICATION SCHEMES** Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-471551-2022.

Date of original issued: Jun.21,2016

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

The certificate information is available through the QR code below or CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





# CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO. : CQC16001147880

page 1 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

MOV10D( 220KT ~ 122KT ) , SFV10D( 220KT ~ 122KT ) ,压敏电压 : 22V ~ 1200V ;最大连续交流电压 : 14VAC ~ 750VAC , 压敏电压的允许偏差为 K :  $\pm 10\%$  ; 气候类别为 40/125/56

具体见下表

规格型号		压敏电压 ( V )	最大连续交流电压 AC r.m.s. ( V )	标准
MOV10D220KT	SFV10D220KT	22	14	GB/T10193-1997 GB/T10194-1997
MOV10D270KT	SFV10D270KT	27	17	
MOV10D330KT	SFV10D330KT	33	20	
MOV10D390KT	SFV10D390KT	39	25	
MOV10D470KT	SFV10D470KT	47	30	
MOV10D560KT	SFV10D560KT	56	35	
MOV10D680KT	SFV10D680KT	68	40	
MOV10D820KT	SFV10D820KT	82	50	
MOV10D101KT	SFV10D101KT	100	60	
MOV10D121KT	SFV10D121KT	120	75	
MOV10D151KT	SFV10D151KT	150	95	
MOV10D181KT	SFV10D181KT	180	115	
MOV10D201KT	SFV10D201KT	200	130	GB/T10193-1997 GB/T10194-1997 GB4943.1-2022
MOV10D221KT	SFV10D221KT	220	140	
MOV10D241KT	SFV10D241KT	240	150	
MOV10D271KT	SFV10D271KT	270	175	



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE OF PRODUCT CERTIFICATION

CERTIFICATE NO. : CQC16001147880

page 2 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

MOV10D301KT	SFV10D301KT	300	190
MOV10D331KT	SFV10D331KT	330	210
MOV10D361KT	SFV10D361KT	360	230
MOV10D391KT	SFV10D391KT	390	250
MOV10D431KT	SFV10D431KT	430	275
MOV10D471KT	SFV10D471KT	470	300
MOV10D511KT	SFV10D511KT	510	320
MOV10D561KT	SFV10D561KT	560	350
MOV10D621KT	SFV10D621KT	620	385
MOV10D681KT	SFV10D681KT	680	420
MOV10D751KT	SFV10D751KT	750	460
MOV10D821KT	SFV10D821KT	820	510
MOV10D911KT	SFV10D911KT	910	550
SFV10D102KT	SFV10D102KT	1000	625
SFV10D112KT	SFV10D112KT	1100	680
SFV10D122KT	SFV10D122KT	1200	750



CHINA QUALITY CERTIFICATION CENTRE